



# PRODUCT SPECIFICATION GUIDE



## Low Maintenance and Barefoot Friendly

- EZ Dock polyethylene docks are durable and slip resistant
- Won't splinter or rot, never needs painting
- Cleans easily with soap and water



## Adaptable Design

- Unique design delivers outstanding load capacity, functionality, and safety
- Variety of dock sections, boat/PWC lifts, and launches for kayaks
- Easily customizable design to make your perfect waterfront retreat



## Flexible Flotation Technology

- Flotation chambers constructed for optimal strength and structural integrity. Concave pylon creates suction between the recess and the water
- Designed to provide additional stability on the water
- Dock sections adapt easily to changing water conditions and levels



## Innovative Coupling

- The Dog Bone, made of recycled materials
- Nuts and bolts made of heavy duty, rust resistant composite
- Strength and durability even in the harshest weather conditions



## American Made

- Proudly for 30 years

DOCK SECTIONS

EZ Dock’s polyethylene dock sections offer unmatched performance when it comes to modular docking solutions. Our revolutionary design is durable, slip-resistant, and low maintenance to help ensure an enjoyable time on the water. Each dock and port section includes a decking surface and float structure in a single, integrated unit. Our proprietary flotation chamber and pylon design provides enhanced buoyancy and stability to reduce movement even in rough water and stormy conditions. Constructed with extra-heavy and extra-thick walls for optimal strength. No frame or expensive decking required.

- **100% virgin linear low-density polyethylene (LLDPE)**
  - **UV Ray resistant**
  - **Slip-resistant pattern**
- **Unique pylon (chamber) design grabs the water like an upside down cup**
  - **Rotationally molded, to allow no seams or connection points**
- **62.5lbs. (28.3kg) per square foot, including dead load, standard**
  - **30lbs. (13.6kg) per square foot, including dead load, low profile**

Part #	Model	Color	Dimensions (w x l x h)	Flotation	Notes
204060 204060-EZGR 	Baby Dock Section	Beige Grey	39" x 58-1/2" x 14-5/8" 0.99m x 1.48m x 0.37m	1000 lbs. 453.6 kg	
204010 204010-EZGR 	40" Dock Section	Beige Grey	39" x 117" x 14-5/8" 0.99m x 2.97m x 0.37m	2000 lbs. 907.1 kg	
206010 206010-EZGR 	60" Dock Section	Beige Grey	58-1/2" x 117" x 14-5/8" 1.48m x 2.97m x 0.37m	3000 lbs. 1360.7kg	
208010 208010-EZGR 	80" Dock Section	Beige Grey	78" x 117" x 14-5/8" 1.98m x 2.97m x 0.37m	4000 lbs. 1814.4 kg	
208008 208008-EZGR 	100" Dock Section	Beige Grey	98" x 78" x 14-5/8" 2.49m x 1.98m x 0.37m	3100 lbs. 1406.1 kg	
158010 158010-EZGR 	80" Low Profile Dock Section	Beige Grey	78" x 117" x 7-5/8" 1.98m x 2.97m x 0.19m	1900 lbs. 861.8 kg	
260120 260120-EZGR 	Half Hex Dock Section	Beige Grey	58-1/2" x 59" x 117" x 14-5/8" 1.48m x 1.5m 2.97m x 0.37m	2000 lbs. 907.1 kg	
300503 300503-EZGR 	Tri Section	Beige Grey	58-1/8" x 58-1/8" x 80-13/16" x 14-5/8" 1.48m x 1.48m x 2.05m x 0.37m	750 lbs. 340.2 kg	
301100 315100 Low Pro 	"Dog Bone" Coupler Set w/ Hardware	Black		N/A	

PERSONAL WATER CRAFT PORTS

EZ Ports feature a raised bow stop that helps prevent overshooting the port, with no winching, cranking, pumping, or hoisting needed. All EZ Ports can be linked together and easily adapted to other floating and fixed docks using our revolutionary Dog Bone coupler system with EZ Dock connectors. The same proprietary flotation chamber and pylon design provides enhanced buoyancy and stability. EZ Port also provides plenty of space on the front and either side of the port to allow PWC users to find their footing comfortably. EZ Port PWC lifts move with changing water levels, protecting personal watercraft from waves, wind, and the damage they can cause. Our personal watercraft ports are also covered by an industry-leading 8-year warranty. Low maintenance and barefoot friendly, EZ Dock’s polyethylene ports are durable and slip resistant. They won’t splinter or rot, and never need painting. They are easy to clean with a pressure washer or EPA-approved cleaning solutions.

Part #	Model	Color	Dimensions (w x l x h)	Flotation	Notes
206037PW 206037PW-EZGR 	EZ Port VXP	Beige Grey	153" x 58-1/2" x 14-5/8" 3.88m x 1.48m x .37m	Rec. Lite + Rec.	
206040PW 206040PW-EZGR 	EZ Port 260	Beige Grey	156" x 60" x 14-5/8" 3.96m x 1.52m x .37m	Most PWCs	
208013PW 208013PW-EZGR 	EZ Port 280	Beige Grey	156" x 78" x 14-5/8" 3.96m x 1.98m x .37m	Most PWCs	
206036PW 206036PW-EZGR 	EZ Port 2i	Beige Grey	168" x 58-1/2" x 14-5/8" 4.26m x 1.48m x .37m	Most PWCs	
206028BS-EZ 206028BS-EZ-EZGR 	Bow Stop Kit for 2i	Beige Grey	33" x 10" x 16" .83m x .25m x .4m	N/A	



EZ PORT MAX INLINE

The modular, adjustable, and expandable EZ Port MAX PWC port system is built to accommodate multiple PWCs of different shapes. The EZ Port MAX is one of the most flexible options available and can be customized to maximize slip spaces with tandem inlines that help you accommodate more PWCs per slip. Configure the design that best suits your waterfront and adjust it whenever your needs change.

Part #	Description	Color	Size	Flotation	Notes
206033EX 206033EX-EZGR	EZ Port MAX Easy-Lift Entry	Beige Grey	43-1/2" x 58-1/2" x 10-7/16" 1m x 1.5m x 25cm	N/A	
206030PW 206030PW-EZGR	EZ Port MAX Entry	Beige Grey	149" x 58-1/2" x 10-7/16" 4m x 1.5m x 25cm	Most PWCs	
206031PW 206031PW-EZGR	EZ Port MAX Extension	Beige Grey	146" x 58-1/2" x 10-7/16" 3.7m x 1.5m x 25cm	Most PWCs	
206025BS 206025BS-EZGR	EZ Port MAX Full Deck Bow	Beige Grey	39" x 58-1/2" x 10-1/2" 99cm x 1.5m x 25cm	N/A	
206027BS 206027BS-EZGR	EZ Port MAX Small Bow	Beige Grey	38-1/2" x 20-13/16" x 15" 97cm x 51cm x 38cm	N/A	


Combined multiple parts of the EZ Port MAX Inline to accomidate multiple ports.



EZ LAUNCH® RESIDENTIAL

- Dock entry enables stable, dry entry.
- Launch-assist paddle notches support easy entry/exit. V-shaped entry centers vessel for a confident, consistent launch. (patented US 10,793,237 B2)
- Engineered to connect with virtually any dock (EZ Dock or any other dock).
- Fits canoes, tandem kayaks, stand-up paddleboards, etc.

Part #	Description	Color	Size	Flotation	Notes
200900 200900-EZGR	EZ Launch for Kayaks	Beige Grey	168" x 58" x 24" 4.26m x 1.47m x 61cm	750 lbs. 340kg	
200683	EZ Launch Ex-tension RAIL	Aluminum	5 lbs. 2.2kg	N/A	
208112	EZ Launch Slide Bunk Kit	Blue	5 lbs. 2.2kg	N/A	




Connects with standard & low-profile dock sections


A first in the industry, the EZ Launch® Accessible Transfer System for kayaks and canoes provides individuals with disabilities accessibility that exceeds the minimum requirements of the Americans with Disabilities Act (ADA). The easy-to-use transfer bench and transfer slide boards allow users to simply sit, slide over, and drop down into a kayak or canoe, then use the side rails to pull off or back on.

Part #	Description	Color	Size	Notes
500	 EZ Launch Transfer System	Beige Grey	350 lbs. 159kg	
100757SS	 EZ Launch Adjustable Adapter Kit	Stainless Steel	23 lbs. 10kg	
500901 500901-EZGR	 EZ Launch Extension Railing	Beige Grey  Aluminum	126 lbs. 57kg	
500900L	 EZ Launch Entry Railing Left	Aluminum	126 lbs. 57kg	
500900R	 EZ Launch Entry Railing Right	Aluminum	126 lbs. 57kg	
35116  35118	 Security Curbing	Brown Black	118" x 3-1/2" x 2-1/2" 3m x .08m x .06m  118" x 5-3/4" x 2" 3m x .14m x .05m  31 lbs. (14kg)	
S50911	 PVC Sleeved Roller - Kit of 5			


EZ Launch® Drive Thru with Transfer Bench & Small Platform




EZ Launch® One-way with Large Platform & Boat Slip



EZ Launch® Drive Thru with Large Platform




EZ Launch® One-way & Extra-Large Platform




EZ Launch® One-Way with Small Platform & Tri Dock




EZ Launch® Drive Thru with Small Platform



EZ Launch® One-Way with Transfer Bench, Handrail, & Large Platform



EZ Launch® Multiple One-way with Transfer Bench





Features and Benefits:

• Easy Boat Access and Maintenance

With our Optimus Boat Port, maintaining your boat becomes hassle-free. Enjoy effortless access for regular maintenance, cleaning, and inspections, ensuring your vessel stays in top-notch condition.

• Reduce Anti-foul Paint Application

The Optimus Boat Port significantly decreases the need for frequent anti-foul paint re-application; extending your boat's lifespan and preserving its value and saving you time and money in the long run.

• Versatile Boat Compatibility

Our boat port is designed to accommodate various boats up to 7,000lbs (3175kg) in wet weight and ranging from 16' (4.87m) to 24' (7.31m) in length, ensuring a perfect fit for your watercraft.

• Effortless Entry and Exit

Enjoy a simple and easy low-angle entry and exit with our Boat Port EZ Dock, making boating experiences smoother and more enjoyable.



Part #	Description	Color	Size	Notes
BP208120ENT BP208120ENT-EZGR	Entry Section Kit - Entry Section 208120ENT(-EZGR) - Entry Inlay S20819 - BPKIT1 - 3x BPKIT2 - 4x Adjustable Rails S20815K - 2x Bunk Housings S20816K - 10x BPKIT3 - 4x Top Connectors S20817 - 4x Bottom Connectors S20818K		117" x 93" x 15" 297cm x 236cm x 38cm	
208120ENT 208120ENT-EZGR	Entry Section	Beige Grey	117" x 93" x 15" 297cm x 236cm x 38cm	
S20819K	Entry Inlay	Dark Grey	50" x 19.5" x 15.5" 127cm x 49.5cm x 39cm 29lbs. (13 kg)	
BPKIT1	3 Piece Roller, Entry Kit	Blue & Dark Grey	10lbs. 7 kg	
BPKIT2	3 Piece Roller for Base	Blue & Dark Grey	8.5lbs. 13.8 kg	
S20815K	Adjustable Rail	Alum	29.75" x 2.5" x 1" 75.5cm x 6.3cm x 2.5cm 2lbs. (.9 kg)	
S20816K S20816K-EZGR	Bunk Housing	Beige Grey	76" x 12" x 7.75" 193cm x 30.5cm x 19.7cm 28lbs. (12.7 kg)	
BPKIT3	6" Bunk Assembly (15.24cm)	Dark Grey	3.5lbs. 1.6 kg	
S20817 S20817-EZGR	Top Connector	Beige Grey	24" x 9" x 7" 61cm x 23cm x 18cm 8lbs. (3.6 kg)	
S20818K S20818-EZGR	Bottom Connector	Beige Grey	24" x 9" x 7" 61cm x 23cm x 18cm 8lbs. (3.6 kg)	
BP208120EXT BP208120EXT-EZGR	Extension Section Kit - Extension Section 208120EXT - 2x BPKIT2 (see above) - 4x Bunk Rail Fill-in S20828K		117" x 93" x 15" 297cm x 236cm x 38cm	
208120EXT 208120EXT-EZGR	Extension Section	Beige Grey	117" x 93" x 15" 297cm x 236cm x 38cm	
S20828K	Bunk Rail Fill-in	Dark Grey	29.75" x 2.5" x .75" 75.5cm x 6.3cm x 1.9cm	



Part #		Description	Color	Size	Notes
BPKIT1		3 Piece Roller, Entry Kit - Bell Roller S28824 - Center Keel Roller Entry S28823 - Keel Shaft Clip S20821 - Entry Roller Shaft S28822 - 2x 5/16" X 1" bolt 80510SS	Blue & Dark Grey	10lbs. 7 kg	
S28824		Bell Roller	Blue & Dark Grey	2.5lbs. 1.1 kg	
S28823		Center Keel Roller Entry	Blue & Dark Grey	2lbs. .9 kg	
S20821		Keel Shaft Clip	Dark Grey	0.25lbs. 1.1 kg	
S28822		Entry Roller Shaft	SS	2.5lbs. .1 kg	
BPKIT2		3 Piece Roller for Base - Bell Roller S28824 (see above) - Center Keel Roller S28826 - Keel Shaft Clip S20821 (see above) - Entry Roller Shaft S28827 - 2x 5/16" X 1" bolt 80510SS	Blue & Dark Grey	8.5lbs. 13.8 kg	
S28826		Center Keel Roller	Blue & Dark Grey	1.5lbs. .7 kg	
S28827		Shaft for Keel Roller	SS	2lbs. .9 kg	
BPKIT3		6" (15.24cm) Bunk Assembly - Bunk Roller S28829 - Bunk Shaft Retainer S28832 - Shaft for Bunk roller S28831 - 5/16" X 1" bolt 80510SS	Dark Grey	3.5lbs. 1.6 kg	
S28829		Bunk Roller	Dark Grey	2.25lbs. 1 kg	
S28832		Bunk Shaft Retainer	Dark Grey	0.25lbs. 1.1 kg	
S28831		Shaft for Bunk Roller	SS	1lbs. .45 kg	

Part #		Description	Color	Dimensions	Notes
S20825 S20825-EZGR		3 1/2" (9cm) Pipe Bracket	Beige Grey	14" x 9" x 15" 35.5cm x 23cm x 38cm 7.25lbs. 3.3 kg	
100758		Optimus to EZ Dock connector Hinge Allows Optimus BoatPort connection to EZ Dock sections.	Galv.	9.5" x 15" x 36" 24.1cm x 38.1cm x 91.4cm 23lbs. 10.4kg	
100759		Optimus to Traditional Dock connector Hinge Allows Optimus BoatPort connection to Standard sections.	Galv.	9.5" x 15" x 36" 24.1cm x 38.1cm x 91.4cm 20lbs. 9 kg	
S20826 S20826-EZGR		Pocket Filler	Beige Grey	14" x 9" x 7.5" 35.5cm x 23cm x 19cm 7.25lbs. 3.3 kg	
S20820 S20820-EZGR		Keel Rest	Beige Grey	23" x 22.5" x 9.25" 58.4cm x 57cm x 23.5cm 20.75lbs. 9.4 kg	
208121 208121-EZGR		6' (1.83m) Boatport Walkway <i>* Does not include hardware connectors</i>	Beige Grey	74" x 12" x 15" 183cm x 30.5cm x 38cm 37lbs. 16.8 kg	
208123 208123-EZGR		8' (2.43m) Boatport Walkway <i>* Does not include hardware connectors</i>	Beige Grey	91" x 12" x 15" 243.8cm x 30.5cm x 38cm 47lbs. 21.3 kg	
S20832		Base Position for Winch Stand <i>* Does not include hardware</i>	Galv.	36" x 23" x 6.5" 91.4cm x 58.4cm x 16.5cm 118lbs. 53.5 kg	
S20833		Winch Stand Assembly - 3200 lbs.	Galv.	32" x 32" x 12" 81.3cm x 81.3cm x 30.5cm 64.5lbs. 29.2 kg	

16'

- V hull type boats up to 5,500 lbs. (2,495 kg) in wet weight
- Up to 16 feet (4.16m) in length

Configuration includes:

- 1- Entry Section Kit (BP208120ENT)
- 1- Extension Section Kit (BP208120EXT)
- Available in Grey and Beige



16' with Side Extensions

- V hull type boats up to 5,500 lbs. (2,495 kg) in wet weight
- Up to 16 feet (4.16m) in length

Configuration includes:

- 1- Entry Section Kit (BP208120ENT)
- 1- Extension Section Kit (BP208120EXT)
- 2- 6' (1.83m) BoatPort Walkways (208121)
- 2- 8' (2.43m) BoatPort Walkways (208123)
- Available in Grey and Beige



24'

- V hull type boats up to 7,000 lbs. (3,175 kg) in wet weight
- 16 to 24 feet (4.16m to 7.3m) in length

Configuration includes:

- 1- Entry Section Kit (BP208120ENT)
- 2- Extension Section Kit (BP208120EXT)
- Available in Grey and Beige



24' with Side Extensions

- V hull type boats up to 7,000 lbs. (3,175 kg) in wet weight
- 16 to 24 feet (4.16m to 7.3m) in length

Configuration includes:

- 1- Entry Section Kit (BP208120ENT)
- 2- Extension Section Kit (BP208120EXT)
- 2- 6' (1.83m) BoatPort Walkways (208121)
- 4- 8' (2.43m) BoatPort Walkways (208123)
- Available in Grey and Beige



Part #	Description	Color	Size	Notes
S20827K	Stepped Hull Bunk Kit- 22' boats & smaller - 1x Left, 1x Right Recycled Plastic Lumber Stepped Hull Bunk S20827L/S20827R - 2x Large Stepped Hull Block S20841 - 4x Small Stepped Hull Block S20842 - 6x Flat Washers 5/16" 18-8 SS 117003 - 6x Lock Washers 5/16" 18-8 SS 117004 - 4x Hex Bolts 5"x5/16 18 SS 10259SS - 2x Hex Bolts 6"x5/16 18 SS 10257SS	Dark Grey	84" x 5.5" x 1.5" 213cm x 14cm x 3.8cm	
S20827L S20827R	Recycled Plastic Lumber Stepped Hull Bunk – Left and Right	Drk Grey	22.5lbs. 10.2 kg	
S20841	Large Stepped Hull Block	Alum.		
S20842	Small Stepped Hull Block	Alum.		
S20827K24	Stepped Hull Bunk Kit - 24' boats & larger - 1x Left, 1x Right Recycled Plastic Lumber Stepped Hull Bunk S20827L/S20827R - 6x Flat Washers 5/16" 18-8 SS 117003 - 6x Lock Washers 5/16" 18-8 SS 117004 - 2x Hex Bolts 2.5"x5/16 18 SS	Dark Grey	84" x 5.5" x 1.5" 213cm x 14cm x 3.8cm	

24' Stepped Hull

- Stepped hull type boats up to 7,000 lbs. (3,175 kg) in wet weight
- Up to 22 feet (6.7m) in length

Configuration includes:

- 1- Entry Section Kit (BP208120ENT)
- 2- Extension Section Kit (BP208120EXT)
- 1- Stepped Hull Bunk Kit (S20827K-BP)
- Available in Grey and Beige



24' Stepped Hull with Side Extensions

- Stepped hull type boats up to 7,000 lbs. (3,175 kg) in wet weight
- 24 feet (7.3m) in length and larger

Configuration includes:

- 1- Entry Section Kit (BP208120ENT)
- 2- Extension Section Kit (BP208120EXT)
- 1- Stepped Hull Bunk Kit (S20827K24-BP)
- 2- 6' (1.83m) BoatPort Walkways (208121)
- 4- 8' (2.43m) BoatPort Walkways (208123)
- Available in Grey and Beige





The EZ BoatPort is a simple and stable drive-on, drive-off method of docking for boats in a wide range of sizes up to 5,000 lbs.

- Configurations to fit multiple boat shapes and sizes
  - Works with existing floating or fixed docks
  - Can be used in as little as 2ft of water without float tanks
  - No winching, cranking, or hoisting
  - Two skid bunk options to fit a variety of hull shapes and sizes
- Up to three additional keel rollers for longer boats
  - Optional supplemental flotation kit for added buoyancy
  - Optional side extensions for additional walk-around room

Part #	Description	Color	Size	Flotation	Notes
208015BL 208015BL-EZGR	EZ BoatPort	Beige Grey	164" x 78" x 14-5/8" 4.16m x 1.98m x 37cm	2000 lbs. 907.18kg	
208015FT 208015FT-EZGR	EZ BoatPort Float Tank	Beige Grey	111" x 78" x 19-5/8" 2.82m x 1.48m x 49.84cm	2000 lbs. 907.18kg	
208015EX 208015EX-EZGR	EZ BoatPort Side Extension	Beige Grey	164" x 20" x 14-5/8" 4.16m x 50.8cm x 37cm	500 lbs. 227kg	
208104 208104-EZGR	EZ BoatPort H Connector	Beige Grey	13.5" x 7.5" x 12" 34.29cm x 19cm x 30.48cm 15 lbs. 7kg	N/A	
208105 208105-EZGR	EZ BoatPort T Connector	Beige Grey	13.5" x 7.5" x 12" 34.29cm x 19cm x 30.48cm 7 lbs. 3kg	N/A	
208101	EZ BoatPort Long Bunk	Blue	108" x 8" x 10" 2.74m x 48.26cm x 25.4cm 35 lbs. 16kg	N/A	
208102	EZ BoatPort Short Bunk	Blue	75" x 8" x 5" 1.9m x 48.26cm x 12.7cm 33 lbs. 15kg	N/A	

Part #	Description	Color	Size	Notes
BP3000 BP3000-EZGR	EZ BoatPort with Side Extensions	Beige Grey	9'9" x 13'8" x 14-5/8" 2.97m x 4.16m x 37.14cm 140 sf 13m²	
BP3001 BP3001-EZGR	EZ BoatPort with Side Extensions & Large Platform	Beige Grey	9'9" x 18'6" x 14-5/8" 2.97m x 5.63m x 37.14cm 190 sf 18m²	
BP4000 BP4000-EZGR	EZ BoatPort with Float Tank & Air Assist	Beige Grey	6'6" x 18'6" x 14-5/8" 1.98m x 5.63m x 37.14cm 124 sf 12m²	
BP4001 BP4001-EZGR	EZ BoatPort with Float Tank, Air Assist, & Large Platform	Beige Grey	6'6" x 23'5" x 14-5/8" 1.98m x 7.13m x 37.14cm 156 sf 14m²	
BP5000 BP5000-EZGR	EZ BoatPort with Side Extensions, Float Tank, & Air Assist	Beige Grey	9'9" x 20'2" x 14-5/8" 2.97m x 6.14m x 37.14cm 205 sf 19m²	
BP5001 BP5001-EZGR	EZ BoatPort with Side Extensions, Float Tank, Air Assist, & Large Platform	Beige Grey	9'9" x 23'5" x 14-5/8" 2.97m x 7.13m x 37.14cm 240 sf 22m²	







ANCHORING

Part #		Description	Color	Size	Notes
135250 135250-EZGR		Standard 2.5" (6.35cm) Pipe Bracket Standard-duty polyethylene bracket provides ample anchoring for ports and smaller docks.	Beige Grey	For 2.375" (6cm) O.D. pipe  21lbs. 9.55kg	
135350 135350-EZGR		Standard 3.5" (9cm) Pipe Bracket Standard-duty polyethylene bracket provides ample anchoring for ports and smaller docks.	Beige Grey	For 3.5" (9cm) O.D. pipe  21lbs. 9.55kg	
138250 138250-EZGR		Standard 2.5" (6.35cm) Pipe Bracket Standard-duty polyethylene bracket provides ample anchoring for ports and smaller, low profile, docks.	Beige Grey	For 2.375" (6cm) O.D. pipe  13lbs. 5.9kg	
138350 138350-EZGR		Low Profile 3.5" (9cm) Pipe Bracket Standard-duty polyethylene bracket provides ample anchoring for ports and smaller, low profile, docks.	Beige Grey	For 3.5" (9cm) O.D. pipe  13lbs. 5.9kg	
130250 130250-EZGR		Standard 2.5" (6.35cm) Pipe Bracket Standard-duty polyethylene bracket provides ample anchoring for ports and smaller docks.	Beige Grey	For 2.375" (6cm) O.D. pipe  14lbs. 6.35kg	
130350 130350-EZGR		Standard 3.5" (9cm) Pipe Bracket Standard-duty polyethylene bracket provides ample anchoring for ports and smaller docks.	Beige Grey	For 3.5" (9cm) O.D. pipe  14lbs. 6.35kg	

Part #		Description	Color	Size	Notes
215250 215250-EZGR		Standard 2.5" (6.35cm) Pipe Bracket Heavy-duty polyethylene pipe bracket allows docks to adjust to changing water levels.	Beige Grey	For 2.375" (6cm) O.D. pipe	
215350 215350-EZGR		Heavy-Duty 3.5" (9cm) Pipe Bracket Heavy-duty polyethylene pipe bracket allows docks to adjust to changing water levels.	Beige Grey	For 3.5" (9cm) O.D. pipe	
100725P		Deadweight insert for #215350 assembly	PVC coated	For 3.5" (9cm) O.D. pipe  15lbs. 6.8kg	
1051000		Poly Pipe Stand-Off Bracket Attaches top of pipe to stationary docks.	Yellow	2.5" (6cm) to 3.5" (9cm) O.D. Pipe	
210250 210250-EZGR  10003(-BK) Replacement Insert		Standard 2.5" (6.35cm) Pipe Bracket w/Insert Heavy-duty polyethylene pipe bracket allows docks to adjust to changing water levels.	Beige Grey  Brown Black	For 2.375" (6cm) O.D. pipe	
210350 210350-EZGR  10004(-BK) Replacement Insert		Heavy-Duty 3.5" (9cm) Pipe Bracket w/Insert Heavy-duty polyethylene pipe bracket allows docks to adjust to changing water levels.	Beige Grey  Brown Black	For 3.5" (9cm) O.D. pipe	
300810 300810-EZGR		Adjustable Piling Bracket  Heavy-duty one-piece bracket allows lateral position adjustment to attach to piles from 6"-18" (15-46cm) in diameter. Bracket comes with two pairs of couplers with composite hardware.	Beige Grey	75" x 8" x 5" 1.91m x 20cm x 13cm	

ANCHORING

Part #	Description	Color	Notes
100700SS 100700	<div></div> <div>Stiff-Arm, Mainframe Deadweight Bracket</div> <div>Includes hardware. Order stiff-arm insert, post sleeve, and anchoring pipe separately.</div>	Stainless Steel Galvanized	
800095-15 800095-20 800095-55	<div></div> <div>2" (5cm) Inner Dimension 2-1/2" (6.35cm) Inner Dimension 3-1/2" (8.89cm) Inner Dimension</div> <div>I.D. post sleeve for stiff arm</div>	Galvanized	
800099  S80094GV	<div></div> <div>Stiff-Arm Heavy-Duty Bracket</div> <div>Anchor to a shoreline abutment or shoreline post. Light-duty also available.</div> <div>Frame &amp; Yoke (shown). Sea wall attachment bracket (not shown).</div>	Stainless Steel Galvanized	
100800	<div></div> <div>Piling Bracket</div> <div>Predrilled for hoops (sold separately) and includes nuts and connectors. SS hardware available. To be used in conjunction with the hoops below.</div>	Galvanized	
100804 100808 100812 100816 100820	<div></div> <div>Hoops for Piling Bracket</div> <div>4" (10cm) 8" (20cm) 12" (30cm) 16" (41cm) 20" (51cm)</div>	Galvanized	

Part #	Description	Color	Notes
100740 100740SS	<div></div> <div>Deadweight Bracket Kit</div> <div>For light-duty anchoring with chain and/or to attach 4" (10cm) x 4" (10cm) railing or mooring posts. Sold in pairs. Chain sold separately.</div>	Stainless Steel Galvanized	
100730	<div></div> <div>Deadweight Winch insert</div> <div>Deadweight insert and cable winch added to our polyethylene pipe bracket allows easy dock adjustment for water fluctuations. Cable sold separately.</div>	Galvanized	
100750 100750SS	<div></div> <div>Adapter Hinge</div> <div>Reversible hinge allows EZ Dock sections to be attached to other floating docks.</div>	Stainless Steel Galvanized	
100751 100751SS	<div></div> <div>EZ Port Adapter Hinge</div> <div>Reversible hinge allows EZ Ports to be attached to other floating docks.</div>	Stainless Steel Galvanized	
100255 For 2.375'  100355 For 3.5" (9cm) O.D. pipe	<div></div> <div>Pipe Auger</div> <div>Auger with bolt and nut allows for drilling and setting pipe in lake, river, or ocean bottoms. Pipe sold separately.</div>	Aluminum	



ACCESSORIES

Part #		Description	Color	Size	Notes
300100 300125		8" Nylon Tie-Down Cleat Bulk package of 25	Black	8" 20.32cm	
300110		10" Aluminum Tie-Down Cleat Tie-down cleat (10") and other accessories attach to heavy-duty, stainless steel T-nuts molded in pairs around dock section perimeters.	Aluminum	10" 25.4cm	
301260 301260-EZGR  302060 302060-EZGR		5' x 12" Utility Channel  5' x 20" Utility Channel Two-piece chaseway attaches to dock sections for utility lines. Stainless steel hardware option.	Beige Grey	60" x 12" 1.5m x 0.3m  60" x 20" 1.5m x 0.5m	
		Dock Slide Install with almost any EZ Dock* where water depth is more than 5' (1.52m)	Blue Forest Green	Requires use of (2) 80" (2m) dock sections  600lbs. 272.1kg	
201030 201030-EZGR		Pocket Filler with Retainer Clip	Beige Grey	6 3/8" x 4" x 3" 16cm x 10cm x 7.6	
208110 208110-EZGR		Supplemental Flotation Pod This float pod is designed to add 200lbs (91 kg) of flotation and is sized to fit under most dock pylon shapes.	Beige Grey	27lbs. 12.2kg  41lbs. 18.6kg	
900050		Dock Wheels - Steel frames with polyethylene wheels make movement of docks easier. Sold in pairs.	Black	85lbs. per pair 38.5kg	
201040SS		Hardware Connector Male For attaching various accessories. 5/8" SS bolt and nut.	Black		
S21141SS  S21142SS 201041SS		Hardware Connector Female  For Ladder with 3/8" SS bolt and nut. 5/8" SS bolt and nut.	Black		

Part #		Description	Color	Size	Notes
300760 300760-EZGR		Corner Storage Box w/Gusset Available in connection boxes for complete utility hookups.	Beige Grey	65lbs. 29.48kg	
300750 300750-EZGR		Storage Box Permanently mounted	Beige Grey	63lbs. 28.57kg	
300501 300501-EZGR		Corner Gusset Polyethylene corner gusset adds deck surface and additional stability to dock fingers when needed.	Beige Grey	33.5" x 6" 85cm x 15.24cm	
300260 300260-EZGR		Swim Ladder One-piece polyethylene ladder. No exposed hardware.	Beige Grey	400lb. (181.4kg) weight capacity	
300180 300180-EZGR		Dock Bumper Protects boat gunwales and rub-rails. Dock bumper attaches to dock using embedded T-nuts.	Beige Grey		
300970AL 300970AL-EZGR		Poly Bench with Arm-Rests Redesigned brackets with 2" (5cm) square, .25" (0.63cm) aluminum tubing. Installs along any open 3-pocket span on an EZ Dock product.	Beige Grey	116lbs. 52.5kg	
300965AL 300965AL-EZGR		Poly Bench without Arm-Rests Redesigned brackets with 2" (5cm) square, .25" (0.63cm) aluminum tubing. Installs along any open 3-pocket span on an EZ Dock product.	Beige Grey	80lbs. 36.2kg	
9000010ss		In-Water Installation Tool In-water connection tool for dock sections. Stainless Steel.	Stainless Steel	45" X 12" X 1" 114cm x 30.4cm x 2.54cm	
900005		Socket Adapter Tool Socket tool for connection hardware.	Black		

RAILINGS

Part #/Style #		Description	Color	Size	Notes
100910AL Style 910		For commercial or residential use. SOBA/ADA compliant. Hardware included.	Aluminum	10' x 42" 3m x 1.1m	
100911AL Style 911		For commercial or residential use. SOBA/ADA compliant. Hardware included.	Aluminum	5' x 42" 1.5m x 1.1m	
100912AL Style 912		For commercial or residential use. SOBA/ADA compliant. Hardware included.	Aluminum	10' x 42" 3m x 1.1m	
100915AL Style 915		For commercial or residential use. SOBA/ADA compliant. Hardware included.	Aluminum	5' x 42" 1.5m x 1.1m	
100916AL Style 916		For commercial or residential use. SOBA/ADA compliant. Hardware included.	Aluminum	5' x 42" 1.5m x 1.1m	
100917AL Style 917		For commercial or residential use. SOBA/ADA compliant. Hardware included.	Aluminum	80" x 42" 2m x 1.1m	
100918AL Style 918		For commercial or residential use. SOBA/ADA compliant. Hardware included.	Aluminum	80" x 42" 2m x 1.1m	
100919AL Style 919		For commercial or residential use. SOBA/ADA compliant. Hardware included.	Aluminum	40" x 42" 1m x 1.1m	
100920AL Style 920		For commercial or residential use. SOBA/ADA compliant. Hardware included.	Aluminum	40" x 42" 1m x 1.1m	
100921AL Style 921		For commercial or residential use. SOBA/ADA compliant. Hardware included.	Aluminum	100" x 42" 2.5m x 1.1m	

Part #/Style #		Description	Color	Size	Notes
100900 100900-EZGR		<b>Poly Post Handrails</b>  Attaches to the coupler pocket. Can be used as a grab or accessory attachment post. 8 embedded T-nuts for cleat attachment and recessed holes that can be drilled for tube or rope handrails. (Handrails and Cleats not included.)	Beige Grey		

POLY POST HANDRAILS



ALUMINUM RAILING






EZ Dock is pleased to announce the availability of our new G500 series gangways hinge kits and dock to shore transition ramps. All G500 gangway frames are made of lightweight aluminum materials that are carefully welded in the USA by skilled welders. G500 gangways weigh 25% less (approx.) than G400 series gangways. ADA compliant railings can be assembled at the job site (Mounting hardware is provided.)

Available in popular 36" (0.9m) and 48" (1.2m) widths and lengths ranging from 10' (3m) to 30' (9.1m) in 5' increments, the new gangways come with the buyer's choice of factory installed beige or grey ThruFlow decking to create a consistent look with other EZ Dock products.

ThruFlow panels are durable and maintenance free allowing you to spend more time enjoying your deck or dock, than working on it. They also feature a heat-resistant, non-slip surface for safety and comfort. This decking is covered by ThruFlow's Lifetime Limited Warranty. ThruFlow panels are revolutionary in their ability to allow light to pass through protecting the delicate aquatic life below. They also allow wind and water to safely pass through them, helping to prevent damage that may be incurred by high waves and wind.

Slip resistant aluminum decking with heat sink bottoms to draw heat away from the decking surface is also available as a decking option.

All decking panels are installed at the factory to provide a clean, flush appearance. All new decking must be installed to meet local, state, and federal building codes or other regulations that apply to these products at the installer's discretion and responsibility.



Part #/Style #	Description	Color	Size	Notes
G500310 G500310-EZGR	Aluminum Gangway and Railings with ThruFlow Decking	Railings - Aluminum	3' x 10' 0.9m x 3m	
G500315 G500315-EZGR		ThruFlow Decking - Beige or Grey	3' x 15' 0.9m x 4.5m	
G500320 G500320-EZGR			3' x 20' 0.9m x 6m	
G500325 G500325-EZGR			3' x 25' 0.9m x 7.6m	
G500330 G500330-EZGR			3' x 30' 0.9m x 9.1m	
G500410 G500410-EZGR			4' x 10' 1.2m x 3m	
G500415 G500415-EZGR			4' x 15' 1.2m x 4.5m	
G500420 G500420-EZGR			4' x 20' 1.2m x 6m	
G500425 G500425-EZGR			4' x 25' 1.2m x 7.6m	
G500430 G500430-EZGR			4' x 30' 1.2m x 9.1m	
G500310AL	Aluminum Gangway and Railings with Aluminum Decking	Railings - Aluminum	3' x 10' 0.9m x 3m	
G500315AL		Decking - Aluminum	3' x 15' 0.9m x 4.5m	
G500320AL			3' x 20' 0.9m x 6m	
G500325AL			3' x 25' 0.9m x 7.6m	
G500330AL			3' x 30' 0.9m x 9.1m	
G500410AL			4' x 10' 1.2m x 3m	
G500415AL			4' x 15' 1.2m x 4.5m	
G500420AL			4' x 20' 1.2m x 6m	
G500425AL			4' x 25' 1.2m x 7.6m	
G500430AL			4' x 30' 1.2m x 9.1m	

Part #	Description	Color	Size	Notes
404010 404010-EZGR 	Polyethylene Gangway  Molded Plastic Gangway. US Pat. 6912966 (Railing and Roller Kit sold separately.)	Beige Grey	39" x 120" x 8" 1m x 3m x .2m  165lbs. 74.8kg	
300450 	Gangway Roller Kit  Allows end of gangway to adjust to changing water levels. PVC and galvanized steel roller available for 3' and 5' widths.		5' x 42" 1.5m x 1.1m	
G200360 G200560 	Gangway Hinge Hinge kit		40" (1m) dock  80" (2m) dock	
200205 200205-EZGR	Plank Gangway Kit - Dock to Abutment	Beige Grey	54" 137.16m	
200200 200200-EZGR 	Plank Gangway Kit - Dock to Shore	Beige Grey	54" 137.16m	
100240 100340 100600 	Gangway Hardware Kit for Wood Gangway	Stainless Steel Galvanized	24" 34"  60"	

Part #	Description	Color	Size	Notes
400440  400460 400480	Galvanized Gangway to Dock Kit  Kit will include all hardware to attach gangway centered on 3 or 4 pockets.	Stainless Steel Galvanized	40" (1m) dock 60" (1.5m) dock 80" (2m) dock	
400450 	Galvanized Hinge Kit to Abutment	Stainless Steel Galvanized	15" x ?" 38.1cm x ?m 30" x ?" 76.2m x ?m	
G500450 G500450-EZGR	Aluminum and ThruFlow Transition Plate Dock End	Beige Grey	48" 1.2m	
G500460  G500560	36" (0.9m) Gangway Hinge	Aluminum	60" (1.5m) dock 80" (2m) dock	
G500465	Gangway Abutment Hinge Kit	Aluminum	36" (0.9m) 48" (1.2m)	
G500570 G500570-EZGR	Aluminum Transition Ramp with ThruFlow	Beige Grey	48" x 72" 1.2m x 1.82m	
G500570-AL	Aluminum Transition Ramp with Aluminum decking	Aluminum	48" x 72" 1.2m x 1.82m	





EZ Dock product is produced in our Monett, MO facility which is certified by Intertek for ISO 9001:2015 quality management system and ISO 14001: 2015 environmental management system.

EZ Dock may introduce new colors, products, accessories, and options throughout the year. Specifications and products listed are subject to change without notice. Some products may be shown with additional or optional equipment not available through EZ Dock. Specifications may vary for international shipments. Please check with your local dealer for more information.

EZ Dock, Inc | 878 HWY 60, Monett, MO 65708

417-235-2223 | 800-654-8168

© 2023 EZ Dock, Inc. All rights reserved.

More information



US/Canada  
Europe  
International

1-800-654-8168  
+46 (0) 380 47 300  
+1 888-654-8168



Proudly American made for 30 years.